
## SOLID EXIT 2 EMERGENCY EXIT LIGHT Y3192WM147



Self-contained Escap emergency exit light with 1 h super capacitor and Lumi Test self-testing with 1-sided pictogram, arrow up, 30 m viewing distance (Invidually packed TWS3192WM)

Solid Exit 2 emergency exit light is equipped with a light plate. The luminaire is designed specifically to withstand harsh conditions. It is a IP65 enclosure classed luminaire and completely dust and water proof.

Solid Exit 2 is suitable for example for industrial premises and parking halls. Escap and centrally supplied luminaires are also suitable for outdoor use.

Special attention has been paid to the design for easy installation.

We reserve the rights to make modifications without notice. Copyright © 2024 Teknoware. All rights reserved. Date: May 04, 2024 | Source: teknoware.com/en/solid-exit-2-emergency-exit-lighty3192wm147



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

| Product Code                        | Y3192WM147                |
|-------------------------------------|---------------------------|
| Feature                             | Escap, Lumi Test          |
| Mounting (standard)                 | wall, surface             |
| Customs Code                        | 94056080                  |
| GTIN Code                           | 6438045022789             |
| ETIM Product Class                  | EC001957                  |
| Length                              | 371 mm                    |
| Width                               | 181 mm                    |
| Height                              | 232 mm                    |
| Weight                              | 1.8 kg                    |
| Backup                              | 1h                        |
| Nominal Supply Voltage              | 220-240 V, 50/60 Hz AC    |
| Protection Class                    | II                        |
| IP Class                            | IP65                      |
| Temperature Range Min - Max         | -25+35 °C                 |
| Glow Wire Test of Plastic Materials | 850 °C                    |
| Viewing Distance                    | 30 m                      |
| Light Source                        | LED                       |
| Body Material                       | plastic                   |
| Colour                              | RAL9003                   |
| Electrical Installation             | 2/3 x 2,5 mm <sup>2</sup> |

## **OPTIONAL ACCESSORIES:**

## OPTIONAL MOUNTING ACCESSORIES FOR EMERGENCY EXIT LIGHTS



| Product Code | Product Name                        | Compatible Product Groups  |
|--------------|-------------------------------------|--|
| TWT3006      | Solid Suspension<br>Bracket TWT3006 | Solid Exit 2 Emergency Exit Lights, Solid: Line Lowbay Emergency Lights,<br>Solid: Line Midbay Emergency Lights, Solid: Zone Lowbay Emergency Llghts,<br>Solid: Zone Midbay Emergency Lights |

We reserve the rights to make modifications without notice. Copyright © 2024 Teknoware. All rights reserved. Date: May 04, 2024 | Source: teknoware.com/en/solid-exit-2-emergency-exit-light-y3192wm147



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

| Product Code | Product Name                           | Compatible Product Groups  |
|--------------|--|--|
| TWT3001      | Solid Recess Mounting<br>Frame TWT3001 | Solid Exit Emergency Exit Lights, Solid Exit 2 Emergency Exit Lights, Solid: Line<br>Lowbay Emergency Lights, Solid: Line Midbay Emergency Lights, Solid: Zone<br>Lowbay Emergency LIghts, Solid: Zone Midbay Emergency Lights |
| TWT3002      | Solid Wall bracket<br>TWT3002          | Solid Exit Emergency Exit Lights, Solid Exit 2 Emergency Exit Lights, Solid: Line<br>Lowbay Emergency Lights, Solid: Line Midbay Emergency Lights, Solid: Zone<br>Lowbay Emergency LIghts, Solid: Zone Midbay Emergency Lights |
| TWT3003      | Solid Flag bracket<br>TWT3003          | Solid Exit Emergency Exit Lights, Solid Exit 2 Emergency Exit Lights, Solid: Line<br>Lowbay Emergency Lights, Solid: Line Midbay Emergency Lights, Solid: Zone<br>Lowbay Emergency Lights, Solid: Zone Midbay Emergency Lights |
| TWT3004      | Solid Ceiling bracket<br>TWT3004       | Solid Exit Emergency Exit Lights, Solid Exit 2 Emergency Exit Lights, Solid: Line<br>Lowbay Emergency Lights, Solid: Line Midbay Emergency Lights, Solid: Zone<br>Lowbay Emergency LIghts, Solid: Zone Midbay Emergency Lights |

We reserve the rights to make modifications without notice. Copyright © 2024 Teknoware. All rights reserved. Date: May 04, 2024 | Source: teknoware.com/en/solid-exit-2-emergency-exit-lighty3192wm147



We reserve the rights to make modifications without notice. Copyright © 2024 Teknoware. All rights reserved. Date: May 04, 2024 | Source: teknoware.com/en/solid-exit-2-emergency-exit-lighty3192wm147



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com