


# SLIMSPOT II: ZONE MIDBAY



Slimspot II is a recessed emergency light that is effective and seamless. It has an elegant and minimalist appearance, so it blends in with the surroundings and architecture. The broad Slimspot II product family and range of optics offers many options to suit a variety of applications and systems. Slimspot II is designed for indoor lighting, and it has durable metal framing. The standard colour of the luminaire is white. On request, it is also possible to order Slimspot II in black and grey to match the surrounding environment.

The Slimspot II Zone Midbay provides a broad, even pattern.

for open areas

self-contained or centrally supplied depending on model

IP rating: IP20

installation: recess-mounted

material: metal framing

standard colour: white (RAL 9003)

optional colours: black (RAL 9005) and grey (RAL 9006)

SELF-CONTAINED ESCAP EMERGENCY LIGHTS WITH SUPER CAPACITOR AND SELF-TESTING

Product Code	Nominal Supply Voltage	Feature	Backup (h)	Form
TWSA592WM	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	■
TWSA592WM4	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	■
TWSA592WM5	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	■
TWSA592WMC	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	■

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: August 14, 2024 | Source: [teknoware.com/en/emergency-lighting/emergency-lights/emergency-light-product-families/slimspot-ii-zone-midbay](https://www.teknoware.com/en/emergency-lighting/emergency-lights/emergency-light-product-families/slimspot-ii-zone-midbay)



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](https://www.teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

Product Code	Nominal Supply Voltage	Feature	Backup (h)	Form
TWS1292WM4	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	●
TWS1292WM5	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	●
TWS1292WM	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	●
TWS1292WMC	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	●

## SELF-CONTAINED ESCAP EMERGENCY LIGHTS WITH SUPER CAPACITOR AND WIRELESS CENTRAL MONITORING

Product Code	Nominal Supply Voltage	Feature	Backup (h)
TWSA592WA	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1
TWSA592WA4	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1
TWSA592WA5	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1
TWSA592WAC	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1
TWS1292WA4	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1
TWS1292WA5	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1
TWS1292WA	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1
TWS1292WAC	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1

## SELF-CONTAINED EMERGENCY LIGHTS WITH BATTERY AND SELF-TESTING

Product Code	Nominal Supply Voltage	Feature	Backup (h)
TWTA552WM	220-240 V, 50/60 Hz AC	Lumi Test	1
TWTA553WM	220-240 V, 50/60 Hz AC	Lumi Test	3
TWT1252WM	220-240 V, 50/60 Hz AC	Lumi Test	1
TWT1253WM	220-240 V, 50/60 Hz AC	Lumi Test	3

## SELF-CONTAINED EMERGENCY LIGHTS WITH BATTERY AND WIRELESS CENTRAL MONITORING

Product Code	Nominal Supply Voltage	Feature	Backup (h)
TWTA552WA	220-240 V, 50/60 Hz AC	Aalto Control	1
TWTA553WA	220-240 V, 50/60 Hz AC	Aalto Control, Lumi Test	3
TWT1252WA	220-240 V, 50/60 Hz AC	Aalto Control, Lumi Test	1
TWT1253WA	220-240 V, 50/60 Hz AC	Aalto Control, Lumi Test	3

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: August 14, 2024 | Source: [teknoware.com/en/emergency-lighting/emergency-lights/emergency-light-product-families/slimspot-ii-zone-midbay](https://www.teknoware.com/en/emergency-lighting/emergency-lights/emergency-light-product-families/slimspot-ii-zone-midbay)



## ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY LIGHTS

Product Code	Nominal Supply Voltage	Feature
TWTA551WK	220-240 V, 50/60 Hz AC, DC	Intelligent Controller, Tapsa Control
TWT1251WKP	220-240 V, 50/60 Hz AC, DC	Intelligent Controller, Tapsa Control
TWT1251WK	220-240 V, 50/60 Hz AC, DC	Intelligent Controller, Tapsa Control

## NON-ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY LIGHTS

Product Code	Nominal Supply Voltage	Feature	Form
TWT1271W	24-230 V, 50/60 Hz AC, DC		●
TWTA571W	24-230 V, 50/60 Hz AC, DC		■

## ADDRESSABLE 24 V CENTRALLY SUPPLIED EMERGENCY LIGHTS

Product Code	Nominal Supply Voltage	Feature	Form
TWT1241WK	24 V, 50/60 Hz AC, DC	Tapsa Control	●
TWTA541WK	24 V, 50/60 Hz AC, DC	Tapsa Control	■

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: August 14, 2024 | Source: [teknoware.com/en/emergency-lighting/emergency-lights/emergency-light-product-families/slimspot-ii-zone-midbay](https://teknoware.com/en/emergency-lighting/emergency-lights/emergency-light-product-families/slimspot-ii-zone-midbay)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](https://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

