


ZONESPOT II: LOWBAY, RECESS-MOUNTED EMERGENCY LIGHTS



The Zonespot II Lowbay is a small and elegant emergency light, for recess mounting. It is specially designed for illuminating open areas. Zonespot II Lowbay takes

We reserve the rights to make modifications without notice.
Copyright © 2024 Teknoware. All rights reserved.
Date: July 16, 2024 | Source: teknoware.com/en/emergency-lighting/emergency-lights/emergency-light-product-families/zonespot-ii-lowbay-recess-mounted-emergency-lights



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

advantage of the latest LED technology.

SELF-CONTAINED ESCAP EMERGENCY LIGHTS WITH SUPER CAPACITOR AND SELF-TESTING

Product Code	Nominal Supply Voltage	Feature	Backup (h)	Form
TWS0492WMCT	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	
TWS0492WMT	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	
TWS0492WM4T	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	
TWS0492WM5T	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	
TWS0492WM4	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	
TWS0492WM5	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	
TWS0492WM	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	
Y0492WM	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	
TWS0492WMC	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	
Y0492WMC	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	

SELF-CONTAINED ESCAP EMERGENCY LIGHTS WITH SUPER CAPACITOR AND WIRELESS CENTRAL MONITORING

Product Code	Nominal Supply Voltage	Feature	Backup (h)
TWS0492WACT	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1
TWS0492WAT	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1
TWS0492WA4T	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1
TWS0492WA5T	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1
TWS0492WA4	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1
TWS0492WA5	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1
TWS0492WA	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1
Y0492WA	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1
TWS0492WAC	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1
Y0492WAC	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1

SELF-CONTAINED EMERGENCY LIGHTS WITH BATTERY AND SELF-TESTING

Product Code	Nominal Supply Voltage	Feature	Backup (h)
TWT0452WMT	220-240 V, 50/60 Hz AC	Lumi Test	1
TWT0453WMT	220-240 V, 50/60 Hz AC	Lumi Test	3

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: July 16, 2024 | Source: [teknoware.com/en/emergency-lighting/emergency-lights/emergency-light-product-families/zonespot-ii-lowbay-recess-mounted-emergency-lights](https://www.teknoware.com/en/emergency-lighting/emergency-lights/emergency-light-product-families/zonespot-ii-lowbay-recess-mounted-emergency-lights)



Product Code	Nominal Supply Voltage	Feature	Backup (h)
TWT0452WM	220-240 V, 50/60 Hz AC	Lumi Test	1
Y0452WM	220-240 V, 50/60 Hz AC	Lumi Test	1
TWT0453WM	220-240 V, 50/60 Hz AC	Lumi Test	3
Y0453WM	220-240 V, 50/60 Hz AC	Lumi Test	3

SELF-CONTAINED EMERGENCY LIGHTS WITH BATTERY AND WIRELESS CENTRAL MONITORING

Product Code	Nominal Supply Voltage	Feature	Backup (h)
TWT0452WAT	220-240 V, 50/60 Hz AC	Aalto Control, Lumi Test	1
TWT0453WAT	220-240 V, 50/60 Hz AC	Aalto Control, Lumi Test	3
TWT0452WA	220-240 V, 50/60 Hz AC	Aalto Control, Lumi Test	1
Y0452WA	220-240 V, 50/60 Hz AC	Aalto Control, Lumi Test	1
TWT0453WA	220-240 V, 50/60 Hz AC	Aalto Control, Lumi Test	3
Y0453WA	220-240 V, 50/60 Hz AC	Aalto Control, Lumi Test	3

ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY LIGHTS

Product Code	Nominal Supply Voltage	Feature
TWT0441WKT	24 V, 50/60 Hz AC, DC	Tapsa Control
TWT0451WKT	220-240 V, 50/60 Hz AC, DC	Intelligent Controller, Tapsa Control
TWT0451WK	220-240 V, 50/60 Hz AC, DC	Intelligent Controller, Tapsa Control
Y0451WK	220-240 V, 50/60 Hz AC, DC	Intelligent Controller, Tapsa Control

NON-ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY LIGHTS

Product Code	Nominal Supply Voltage	Feature	Form
TWT0471WT	24-230 V, 50/60 Hz AC, DC		
TWT0471W	24-230 V, 50/60 Hz AC, DC		
Y0471W	24-230 V, 50/60 Hz AC, DC		

ADDRESSABLE 24 V CENTRALLY SUPPLIED EMERGENCY LIGHTS

Product Code	Nominal Supply Voltage	Feature	Form
TWT0441WK	24 V, 50/60 Hz AC, DC	Tapsa Control	
Y0441WK	24 V, 50/60 Hz AC, DC	Tapsa Control	

We reserve the rights to make modifications without notice.
 Copyright © 2024 Teknoware. All rights reserved.
 Date: July 16, 2024 | Source: [teknoware.com/en/emergency-lighting/emergency-lights/emergency-light-product-families/zonespot-ii-lowbay-recess-mounted-emergency-lights](https://www.teknoware.com/en/emergency-lighting/emergency-lights/emergency-light-product-families/zonespot-ii-lowbay-recess-mounted-emergency-lights)



We reserve the rights to make modifications without notice.
Copyright © 2024 Teknoware. All rights reserved.
Date: July 16, 2024 | Source: teknoware.com/en/emergency-lighting/emergency-lights/emergency-light-product-families/zonespot-ii-lowbay-recess-mounted-emergency-lights

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

